


Informationsystems


Main catalogue



| Display cases | 4 |
|---|----|
| Top TN display cases – Landscape format | 6 |
| Top TN display cases – Portrait format | 8 |
| Top TN display cases – Large format | 10 |
| * Top display cases TR | 12 |
| * Top TC display cases | 14 |
| Top display cases TN CityLight | 16 |
| LED lighting for display cases | 18 |
| Optional extras | 20 |
| Poster display cases PN/PR | 22 |
| Softline display cases FSK | 24 |
| Economy E display cases | 26 |
| Softline ES display cases | 28 |
| All-glass GG display cases | 30 |

| Mini MN display cases | 32 |
|--------------------------------------|----|
| Softline MSK display cases | 34 |
| Basic BN display cases | 36 |
| Softline BSK display cases | 38 |
| Sliding door FN/FR wall panels | 40 |
| Softline SSK display cases | 42 |
| Sliding door SN/SR display cases | 44 |
| Hinged door GN/GR display cases | 46 |
| Stand for setting in concrete | 48 |
| Stand for anchoring | 50 |
| Stand for free-standing installation | 52 |
| Stand for row installation | 53 |
| | |
| Vitrines | 54 |
| Factory | 56 |
| | |







Top TN display cases – Landscape format



Comfort with a ten-year guarantee: the Top TN display cases

A display case in a class of its own, setting standards in quality and functionality. For all those who need to impart important information. High-quality craftsmanship and anodised aluminium profiles or powder-coated in RAL colours on request. Toughened safety glass, permanent ventilation, scratch-resistant and magnetic rear panel in alu-silver, vandal-proof locks

with patented frost protection and gas struts with secure 85° open position, optional LED lighting – the TN series leaves nothing to be desired. Whether as a wall or freestanding model, in foyers or in front of buildings. And all that with a ten-year guarantee!

- Profiles anodised in aluminium-silver colour or RAL as desired
- + Convenient opening thanks to gas struts (TN 6 with side-hung sash)
- + Permanent ventilation
- + Vandal-proof locks with frost protection
- + Ten year guarantee



Weatherproof and optionally suitable for wall or stand mounted.



Permanent ventilation.



Convenient opening: Sash is held in open position at approx. 85° via



Powder-coated in RAL 7016 as row stand assembly.

| | | gas struts. | | | | |
|--------------------------------------|--------------|--------------|--------------|---------------|---------------|---------------|
| | | | | | | |
| Outer dimension W/H in mm | 560 × 480 | 790 × 790 | 970 × 820 | 1350 × 1060 | 1600 × 1060 | 2000 × 1060 |
| DIN formats | 2 A4 (2 × 1) | 6 A4 (3 × 2) | 8 A4 (4 × 2) | 18 A4 (6 × 3) | 21 A4 (7 × 3) | 27 A4 (9 × 3) |
| Visible surface W/H in mm | 425 × 345 | 655 × 655 | 835 × 685 | 1215 × 925 | 1465 × 925 | 1865 × 925 |
| Single-sided 60 mm overall depth | TN 6 | TN 7 | TN 8 | TN 9 | TN 11 | TN 12 |
| Anodised, alu-silver coloured | 103500001 | 103500009 | 103500017 | 103500025 | 103500033 | 103500041 |
| RAL powder coated | 103500007 | 103500015 | 103500023 | 103500031 | 103500039 | 103500047 |
| Single-sided 120 mm overall depth | | TN 2 | TN 3 | TN 4 | TN 14 | TN 15 |
| Anodised, aluminium-silver co | oloured | 103500049 | 103500057 | 103500065 | 103500073 | 103500081 |
| RAL powder coated | | 103500055 | 103500063 | 103500071 | 103500079 | 103500087 |
| Double-sided 80 mm overall depth | | TN 7J | TN 8J | TN 9J | TN 11J | TN 12J |
| Anodised, aluminium-silver co | oloured | 103500089 | 103500093 | 103500097 | 103500101 | 103500105 |
| RAI nowder coated | | 103500092 | 103500096 | 103500100 | 103500104 | 103500108 |



| Double-sided 80 mm overall depth | TN 7J | TN 8J | TN 9J | TN 11J | TN 12J |
|-------------------------------------|-----------|-----------|-----------|-----------|-----------|
| Anodised, aluminium-silver coloured | 103500089 | 103500093 | 103500097 | 103500101 | 103500105 |
| RAL powder coated | 103500092 | 103500096 | 103500100 | 103500104 | 103500108 |



| | | | -34 | 10 |
|---|---|---|-----|-----|
| | | T | | ib. |
| _ | - | | | |

| INFORMATION | |
|-------------|--|
| | |



| Advertising space | | TN 7 W | TN 8 W | TN 9 W | TN 11 W | TN 12 W |
|---|-----------|-----------|-----------|-----------|-----------|-----------|
| Height 240 mm, for 60 mm installation depth | | 103500839 | 103500843 | 103500847 | 103500851 | 103500812 |
| LED lighting | 13 Watt | 13 Watt | 26 Watt | 39 Watt | 39 Watt | 52 Watt |
| 230 VAC, 4000 Kelvin | 103000702 | 103000702 | 103000703 | 103000704 | 103000704 | 103000705 |

Text bar Blank for labelling text 314900015 314900016 314900017 314900018 314900019 314900020 included 103000207 103000208 103000209 103000210 103000211 103000212

Stand mounted, aluminium anodised (steel galvanised) for setting in concrete or ground anchoring

Powder-coated in RAL of your choice possible.



Top TN display cases – Portrait format



Comfort with a ten-year guarantee: the Top TN display case

A display case in a class of its own, setting standards in quality and functionality. For all those who need to impart important information. High-quality craftsmanship and anodised aluminium profiles or powder-coated in RAL colours on request. Toughened safety glass, permanent ventilation, scratch-resistant and magnetic rear panel in alu-silver, vandal-proof locks

with patented frost protection and gas struts with secure 85° open position, optional LED lighting – the TN series leaves nothing to be desired. Whether as a wall or freestanding model, in foyers or in front of buildings. And all that with a ten-year guarantee!

- + Profiles anodised in aluminium-silver colour
- + Convenient opening thanks to gas struts
- + Permanent ventilation
- + Vandal-proof locks with frost protection
- + Ten year guarantee





Display case with round tube stand.

Display case dimensions matched to DIN poster formats

| | Outer dimension W/H in mm | 580 × 850 | 750 × 1100 | 1350 × 1100 | 970 × 1450 | 1350 × 1 |
|---------|-------------------------------------|------------------------|------------------------|------------------------|------------------------|------------------|
| | DIN formats | A2 portrait | A1 portrait | A0 landscape | A0 portrait | 12 × A3 pc |
| | Visible surface W/H in mm | 445 × 625 | 615 × 875 | 1215 × 875 | 835 × 1225 | 1215 × 1 |
| | Single-sided 60 mm overall depth | TN 100 | TN 200 | TN 300 | TN 400 | TN 50 |
| | Anodised, aluminium-silver coloured | 103500109 | 103500117 | 103500125 | 103500133 | 103500 |
| | RAL powder coated | 103500115 | 103500123 | 103500131 | 103500139 | 103500 |
| | 120 mm overall depth on one side | TN 110 | TN 210 | TN 310 | TN 410 | TN 51 |
| | Anodised, aluminium-silver coloured | 103500149 | 103500157 | 103500165 | 103500173 | 103500 |
| | RAL powder coated | 103500155 | 103500163 | 103500171 | 103500179 | 103500 |
| | Double-sided 80 mm overall depth | TN 100J | TN 200J | TN 300J | TN 400J | TN 50 |
| | Anodised, aluminium-silver coloured | 103500189 | 103500193 | 103500197 | 103500201 | 103500 |
| 9 | RAL powder coated | 103500192 | 103500196 | 103500200 | 103500204 | 103500 |
| - Tarly | LED lighting | 13 Watt | 13 Watt | 39 Watt | 26 Watt | 39 Wa |
| 7 | 230 VAC, 4000 Kelvin | 103000702 | 103000702 | 103000704 | 103000703 | 1030003 |
| | Text bar | | | | | |
| MATION | Blank for labelling text included | 314900022 103000213 | 314900021 103000214 | 314900018 103000210 | 314900017 103000209 | 314900 103000 |
| | | | l l | | | ring |
| | Stand mounted, aluminiu | m anodised (stee | ei gaivanised) for s | setting in concrete | or ground ancho | ning |



Model TN 37

Display cases

Top TN display cases – Large format



Comfort with a ten-year guarantee: the Top TN display cases

A display case in a class of its own, setting standards in quality and functionality. For all those who need to impart important information. High-quality craftsmanship and anodised aluminium profiles or powder-coated in RAL colours on request. Toughened safety glass, permanent ventilation, scratch-resistant and magnetic rear panel in alu-silver, vandal-proof locks

with patented frost protection and gas struts with secure 85° open position, optional LED lighting – the TN series leaves nothing to be desired. Whether as a wall or freestanding model, in foyers or in front of buildings. And all that with a ten-year guarantee!

- + Profiles anodised in aluminium-silver colour
- + Convenient opening thanks to gas struts
- + Magnetic, scratch-resistant rear panel
- + Vandal-proof locks with frost protection
- + Ten year guarantee







| | Outer dimension W/H in mm | 2000 × 1060 | 2500 × 1060 | 3000 × 1060 | 3000 × 1060 |
|--|---|--|----------------------------|----------------------------|----------------------------|
| | DIN formats | 24 A4 (8 × 3) | 30 A4 (10 × 3) | 36 A4 (12 × 3) | 36 A4 (12 × 3) |
| | Visible surface W/H in mm | 880 × 925 (2×) | 1130 × 925 (2×) | 1380 × 925 (2×) | 885 × 925 (3×) |
| | TN - Large format | TN 24 | TN 26 | TN 27 | TN 37 |
| | Anodised, alu-silver coloured, 60 mm overall depth | 103500459 | 103500461 | 103500497 | 103500499 |
| | Required steel frame of 1060 mm height for sta without advertising space | and mounted | 318001097 | 318001099 | 318001101 |
| | Required steel frameof 1300 mm height for sta advertising space | and mountedwith | 318001098 | 318001100 | 318001102 |
| WORDLANE I ADMINISTRATION | Advertising space | TN 12 W | TN 26 W | TN 27 W | TN 27 W |
| POSICION DE LA CONTRACTOR DE LA CONTRACT | Height 240 mm, for 60 mm installation depth | 103500812 | 103500814 | 103500816 | 103500816 |
| | Lettering of the advertising space | | | | |
| WERBEFLÄCHE / ADVERTISING SPACE | Digital printing | 700000381 | 700000202 | 700000202 | 70000000 |
| in in its contract of the cont | | | 700000382 | 700000383 | 700000383 |
| | LED lighting | | 700000382 | 700000383 | /00000383 |
| | LED lighting 230 VAC, 4000 Kelvin | 2x 103000702 | 2×103000703 | 2×103000704 | 3×103000703 |
| | | 2x 103000702 | | | |
| INFORMATION | 230 VAC, 4000 Kelvin | 2x 103000702 2x314900257 2x103000740 | | | |
| | 230 VAC, 4000 Kelvin Text bar Blank for labelling | 2×314900257 2×103000740 | 2×103000703 2×314900258 | 2×103000704 2×314900259 | 3×103000703 3×314900260 |



TN 24 for stand mounted incl. adver- TN 26 for stand mounted tising space.



incl. advertising space.



TN 27 for stand mounted incl. advertising space.



TN 37 for stand mounted incl. advertising space.



Top display cases TR



Quality with a ten-year guarantee: the top display cases TR


A display case in a class of its own, setting standards in quality and functionality. For all those who need to impart important information. High-quality craftsmanship and anodised aluminium profiles or powder-coated in RAL colours on request. The TR model is equipped with rounded corners for accident prevention. Toughened safety glass, permanent ventilation,

scratch-resistant and magnetic rear panel in alu-silver, vandal-proof locks with patented frost protection and gas struts with secure 85° open position, optional LED lighting – the TR series leaves nothing to be desired. Whether as a wall or freestanding model, in foyers or in front of buildings. And all that with a ten-year guarantee!

- + Profiles anodised in aluminium-silver colour
- + Convenient opening thanks to gas struts
- + Permanent ventilation
- + Vandal-proof locks with frost protection
- + Ten year guarantee



Round corner joints, rounded aluminium profiles.



Opening angle up to 85°, sash is held in open position.

Powder-coated in RAL of your choice possible.



Antifreeze lock optimised in form and function



Notices professionally presented with Klemmfix pockets made of acrylic glass.

| | Outer dimension W/H in mm | 560 × 480 | 790×790 | 970 × 820 | 1350 × 1060 | 1600 × 1060 | 2000 × 1060 |
|-----|--|---|--|--|---|------------------------|------------------------|
| | DIN formats | 2 A4 (2 × 1) | 6 A4 (3 × 2) | 8 A4 (4 × 2) | 18 A4 (6 × 3) | 21 A4 (7 × 3) | 27 A4 (9 × 3 |
| | Visible surface W/H in mm | 425 × 345 | 655 × 655 | 835 × 685 | 1215 × 925 | 1465 × 925 | 1865 × 925 |
| | 60 mm overall depth | TR 6 | TR 7 | TR 8 | TR 9 | TR 11 | TR 12 |
| INI | Anodised, aluminium-silver coloured | 103500263 | 103500271 | 103500279 | 103500287 | 103500295 | 103500303 |
| | RAL powder coated | 103500269 | 103500277 | 103500285 | 103500293 | 103500301 | 103500309 |
| | 120 mm overall depth | | TR 2 | TR3 | TR 4 | TR 14 | TR 15 |
| IN | Anodised, aluminium-silver coloured | | 103500311 | 103500319 | 103500327 | 103500335 | 103500343 |
| | RAL powder coated | | 103500317 | 103500325 | 103500333 | 103500341 | 103500349 |
| 74 | LED lighting | 13 Watt | 13 Watt | 26 Watt | 39 Watt | 39 Watt | 52 Watt |
| | 230 VAC, 4000 Kelvin | 103000702 | 103000702 | 103000703 | 103000704 | 103000704 | 103000705 |
| | | | | | | | |
| | Text bar | | | | | | |
| N | Text bar Blank for labelling text included | 314900015 103000207 | 314900016 103000208 | 314900017 103000209 | 314900018 103000210 | 314900019 103000211 | 314900020 103000212 |
| | Blank for labelling text | 103000207 | 103000208 | 103000209 | 103000210 | | |
| N | Blank for labelling text included | 103000207 | 103000208 | 103000209 | 103000210 | | |
| N | Blank for labelling text included Stand mounted, anodised Rectangular tube 80 × | 103000207 d aluminium (g | 103000208 | 103000209 | 103000210 concrete | 103000211 | 103000212 |
| N | Blank for labelling text included Stand mounted, anodised Rectangular tube 80 × 40 mm | 103000207 d aluminium (g 103000355 103000343 our choice pos | 103000208 Jalvanised stee 103000355 103000343 sible. | 103000209 I) for setting in 103000355 103000343 | 103000210 concrete 103000355 103000343 | 103000211 | 103000212 |
| ON | Blank for labelling text included Stand mounted, anodised Rectangular tube 80 × 40 mm Round tube Ø 80 Flat cap Powder-coated in RAL of y | 103000207 d aluminium (g 103000355 103000343 our choice pos | 103000208 Jalvanised stee 103000355 103000343 sible. | 103000209 I) for setting in 103000355 103000343 | 103000210 concrete 103000355 103000343 | 103000211 | 103000212 |



Top TC display cases




Expressive top display case with ten-year guarantee

TC – a display case in a class of its own in design, quality and functionality. Present important things with understatement using high-quality craftsmanship and anodised or, on request, powder-coated in RAL colours, striking aluminium profiles and toughened safety glass. The permanent ventilation keeps the case and its contents in good condition. The scratch-resistant and magnetic rear panel in aluminium-silver and

vandal-proof locks with patented frost protection ensure long service life. Gas struts with a secure 85° open position ensure ease of use, and the optional LED lighting displays the contents even in the dark. The TC series leaves nothing to be desired, whether as a wall-mounted or free-standing model, in foyers or in front of buildings. Classically elegant and with a ten-year guarantee!

- + Profiles anodised in aluminium-silver colour, with pointed corners and edges
- + Convenient opening thanks to gas struts
- + Permanent ventilation
- + Vandal-proof locks with frost protection
- + Ten year guarantee







Convenient opening upwards via gas struts up to 85°.



Frost-proof vandal-proof locks with 2 keys each, alternatively as triangular locks.

| | Outer dimension W/H in mm | 790 × 790 | 970 × 820 | 1350 × 1060 | 1600 × 1060 | 2000 × 1060 |
|-------------|-------------------------------------|------------------------|------------------------|------------------------|------------------------|------------------------|
| | DIN formats | 6 A4 (3 × 2) | 8 A4 (4 × 2) | 18 A4 (6 × 3) | 21 A4 (7 × 3) | 27 A4 (9 × 3) |
| | Visible surface W/H in mm | 655 × 655 | 835 × 685 | 1215 × 925 | 1465 × 925 | 1865 × 925 |
| | 100 mm overall depth | TC 2 | TC 3 | TC 4 | TC 14 | TC 15 |
| | Anodised, aluminium-silver coloured | 103500351 | 103500355 | 103500359 | 103500363 | 103500367 |
| | RAL powder coated | 103500353 | 103500357 | 103500361 | 103500365 | 103500369 |
| Tall 1 | LED lighting | 13 Watt | 26 Watt | 39 Watt | 39 Watt | 52 Watt |
| | 230 VAC, 4000 Kelvin | 103000702 | 103000703 | 103000704 | 103000704 | 103000705 |
| | Text bar | | | | | |
| INFORMATION | Blank for labelling text included | 314900016 103000208 | 314900017 103000209 | 314900018 103000210 | 314900019 103000211 | 314900020 103000212 |
| | Stand mounted, anodised | | | | | |
| | Rectangular tube 80 × 40 mm | 103000355 | 103000355 | 103000355 | 103000355 | 103000493 |
| | Powder-coated in RAL of ye | our choice possib | le. | | | |
| | Stand-mounted, anodised | l aluminium (galv | vanised steel) for g | ground anchoring | | |
| | Rectangular tube 80 × 40 mm | 103000377 | 103000377 | 103000377 | 103000377 | 103000495 |
| | Powder-coated in RAL of ye | our choice possib | le. | | | |



FULLY ILLUMINATED

High-quality LED components ensure uniform backlighting of the notices.

ROBUST AND DURABLE

6.5 mm triangular locks to be opened from below incl. 2 keys.

Model TN-CL 2941

Display cases

Top display cases TN CityLight




TN CityLight: Feels at home even in the metropolis

If you want to stand out in the city, our CityLight display case is the best choice. Thanks to the stable, maintenance-free aluminium design and weatherproof seal, one can use the product both outside and inside. One can either mount it on a wall or place it on the ground with a stand – thus there are no limits to its placement.

The sash is equipped with gas struts that allow it to open easily and hold it in the open position.

Furthermore, the retractable poster frame not only makes changing posters very easy, but also ensures that your poster is stretched tightly at all times. Finally, the LED lighting ensures that your message is in the right light even late at night.

- + Sturdy, maintenance-free aluminium design
- + Optionally in CLP format or A0 portrait format
- + Easy opening of the sash via gas struts, which is held securely in the open position
- + With integrated retractable poster frame for easy poster exchange
- + Triangular locks, to be locked from below







TN CityLight for wall mounting.



 $Illuminated \, TN \, CityLight \, with \, stand \\ system.$

| Outer dimension W/H in mm | 1320 × 1885 | 976 × 1323 |
|--|-------------|-------------|
| Formats | CLP | A0 portrait |
| Visible surface W/H in mm | 1185 × 1750 | 841 × 1188 |
| Wall mounted single-sided 120 mm overall depth | TN-CL 1841 | TN-CL 1800 |
| Anodised, aluminium-silver coloured | 103100120 | 103100126 |
| RAL powder coated | 103100121 | 103100127 |
| Stand mounted single-sided 220 mm overall depth | TN-CL 1941 | TN-CL 1900 |
| Anodised, aluminium-silver coloured | 103100122 | 103100128 |
| RAL powder coated | 103100123 | 103100129 |
| Stand mounted double-sided 220 mm overall depth | TN-CL 2941 | TN-CL 2900 |
| Anodised, aluminium-silver coloured | 103100124 | 103100130 |
| RAL powder coated | 103100125 | 103100131 |
| Stand system for anchoring | | |
| Anodised, aluminium-silver coloured | 103000679 | 103000681 |
| Powder-coated in RAL of your choice also po | ossible. | |



Accessories

LED lighting for display cases

Many display cases are also available with built-in LED lighting to ensure that your message reaches its target 24/7.

Compared to conventional lamps, our LED linear luminaires are characterised by **efficient energy consumption** and a simultaneously **long service life**. Replacing the lamps is no longer necessary for years.

Thanks to the **narrow design**, the lighting can also be installed in display cases with a depth of only 60 mm. The display case is very widely illuminated and made accessible to the observer even in the dark.

For optimal legibility of the notices, the colour temperature is **4000 Kelvin (neutral white)**.

For outdoor display cases, electrical components **should be additionally protected**. When properly installed, the luminaire's closed plastic housing achieves the **IP44 protection rating**. A pressure equalisation membrane ensures uniform pressure inside the housing and thus prevents the penetration of water and dirt particles.

Our LED linear luminaire does not require an external power supply unit or additional earthing and is classified according to **protection class II**.



Advantages of LED technology

- + High efficiency with low energy consumption
- + No fading of notices thanks to UV-free light
- + Shock and vibration resistant, maintenance-free
- + No heat generation
- + Very long service life
- + Compact design



LED linear luminaires Length in mm 905 1305 1705 505 Width in mm 35 Height in mm 37 230 VAC Operating voltage Protection class Ш Protection class IP44 Installation Inside and outside Housing Plastic Light colour Neutral white Colour temperature 4000 Kelvin Weight 0.94 kg 1.20 kg 0.36 kg 0.64 kg **Total output** 13 Watt 26 Watt 39 Watt 52 Watt 103000702 103000703 103000704 103000705

i Further information on all products can be found on our website

Optional extras



Foundation anchor cage (2 pieces) for setting in concrete

- + Suitable for screwing on and aligning the stands
- + Dimensions approx. 250 x 120 x 500 mm
- + With two cross braces made of angle steel
- + Four M12 rods, each with 100 mm thread above

Article number: 103000028



Text bar

- + Information bar for custom labelling and design
- + Translucent acrylic glass plate, height 70 mm, white with black letters

Article number: 103000554



Klemmfix pocket A4

+ Portrait or landscape format, acrylic glass, magnetic

| Without text field | A4 portrait: 108100007 | A4 landscape: 108100090 |
|--------------------|------------------------|-------------------------|
| With text field | A4 portrait: 108100008 | A4 landscape: 108100091 |



Magnets

+ Packaging unit: 10 pieces

| Ø 25 mm with white plastic cap | 103000103 |
|--------------------------------|-----------|
| Ø 30 mm with white plastic cap | 103000104 |
| Ø 36 mm with white plastic cap | 103000105 |



Gas strut

- + Automatically opens sashes upwards and secures them in the open position
- + 2 pieces as retrofit kit from manual prop rod to gas strut operation

Article number: 103000128



Poster display cases PN/PR



The classic, practical poster display case

It is the ideal frame for a poster. The poster display case impresses with its exact fit to DIN A4 to A0 poster media and is therefore perfectly suited for classic posters. With a depth of just 30 mm, it is particularly suitable for narrow corridors, stairwells or railway platforms, i.e., everywhere escape routes should not be impeded. The rainproof hinged door features

toughened safety glass (acrylic glass for DIN A0). The easily accessible locks ensure locking comfort. The optional pair of square tube uprights also offer more flexibility at the installation site. Maximum safety is guaranteed by the MPA fire protection certificate for flame resistance for all models with toughened safety glass.

- + Extremely narrow depth (30 mm)
- + Suitable for narrow places inside and outside
- + Available in exact fit for DIN A4 to A0
- + Toughened safety glass up to DIN A1
- + Wall or stand mounted







Optionally also with round corner joints.

290 × 377



Classic form, expressive corners and edges.

500 × 674



920 × 1268

674 × 920

| Outer dimension W/H in mm |
|---|
| DIN format |
| Visible surface W/H in mm |
| PN - Pointed oorners 30 mm overall depth |
| Anodised, aluminium-silver coloured |
| RAL powder coated |
| DD Down d company |

| DIN format | A4 | А3 | A2 | A1 | A0 |
|---|-----------|-----------|-----------|-----------|------------|
| Visible surface W/H in mm | 210 × 297 | 297 × 420 | 420 × 594 | 594 × 841 | 841 × 1189 |
| PN - Pointed oorners 30 mm overall depth | PN 4 | PN 3 | PN 2 | PN 1 | PN 0 |
| Anodised, aluminium-silver coloured | 103400001 | 103400009 | 103400017 | 103400025 | 103400033 |
| RAL powder coated | 103400007 | 103400015 | 103400023 | 103400031 | 103400039 |

377 × 500



| PR - Round corners 30 mm overall depth | PR 4 | PR 3 | PR 2 | PR 1 | PR 0 |
|---|-----------|-----------|-----------|-----------|-----------|
| Anodised, aluminium-silver coloured | 103400041 | 103400049 | 103400057 | 103400065 | 103400073 |
| RAL powder coated | 103400047 | 103400055 | 103400063 | 103400071 | 103400079 |

INFORMATION


| Text bar | | | | | |
|----------------------------------|-----------|-----------|-----------|-----------|-----------|
| Blank – portrait format | 314900028 | 314900027 | 314900026 | 314900025 | 314900024 |
| Blank – landscape format | 314900027 | 314900026 | 314900025 | 314900024 | 314900023 |
| Text included – portrait format | 103000215 | 103000216 | 103000217 | 103000218 | 103000219 |
| Text included – landscape format | 103000220 | 103000221 | 103000222 | 103000223 | 103000224 |



| Stand mounted – 40 × 40 mm square tubing, anodised aluminium for setting in concrete | | | | | | | | |
|--|-----------|-----------|-----------|-----------|-----------|--|--|--|
| Anodised | 103000361 | 103000361 | 103000361 | 103000361 | 103000361 | | | |
| RAL powder coated | 103000364 | 103000364 | 103000364 | 103000364 | 103000364 | | | |



| Stand mounted – 40 \times 40 mm square tubing, anodised aluminium for ground anchoring | | | | | | | | |
|--|-----------|-----------|-----------|-----------|-----------|--|--|--|
| Anodised | 103000367 | 103000367 | 103000367 | 103000367 | 103000367 | | | |
| RAL powder coated | 103000411 | 103000411 | 103000411 | 103000411 | 103000411 | | | |



Softline display cases FSK



Quick presentation of your DIN A4 notices indoors and out

The FSK series offers ample space for 2 to 16 notices in DIN A4 landscape or portrait format and is suitable for wall mounting indoors and outdoors. The just 30 mm deep design in torsion-resistant, silver-coloured anodised aluminium profiles stands out with its modern, rounded softline profile which simultaneously reduces the risk of injury. The hinged door with

toughened safety glass or shatterproof acrylic glass exposes the entire display area and can be conveniently opened and closed by anyone. A lock protects against unauthorised access. You can quickly attach your notices using the magnetic rear panel and five included magnets to immediately inform your employees, customers or guests.

- + Modern rounded softline profile
- + Building material class B1 (flame-retardant) according to DIN 4102-1 for models with toughened safety glass
- + Hinged door with toughened safety glass or acrylic glass (model FSK 16)
- + Magnetic rear panel, white (incl. 5 magnets)
- + Shipment in unbreakable, recyclable cardboard box



Hinged door with toughened safety glass or acrylic glass, magnetic rear panel, white incl. 5 magnets.





Modern 30 mm deep rounded softli- $\,$ Lock incl. 2 keys. ne profile.

| | Outer dimension W/H in mm | 510 × 385 | 510 × 680 | 930 × 680 | 940 × 990 | 930 × 1275 | 595 × 795 | 795 × 1095 |
|---|---|-----------|-----------|-----------|-----------|------------|-----------|------------|
| | DIN format | 2 A4 | 4 A4 | 8 A4 | 12 A4 | 16 A4 | B2 | B1 |
| | Visible surface W/H in mm | 430 × 305 | 430 × 600 | 850 × 600 | 860 × 910 | 850 × 1195 | 515 × 715 | 715 × 1015 |
| 0 | 30 mm overall depth | FSK 2 | FSK 4 | FSK 8 | FSK 12 | FSK 16 | FSK B2 | FSK B1 |
| | Anodised, aluminium- silver coloured | 103200135 | 103200136 | 103200137 | 103200142 | 103200138 | 103200172 | 103200173 |





Economy E display cases




The entry-level model: Top quality at an unbeatable price

Your choice as a solid, low-priced entry-level model: the E display case. The torsion-free, angular aluminium construction in a high-quality anodised finish (alu-silver) highlights its pragmatic, clear design. The front pane made of toughened safety glass with weatherproof rubber seal ensures optimum protection against wind and weather. Thanks to the stan-

dard gas struts and the automatic locking mechanism, the hinged door can be opened effortlessly and smartly locked with a lock. The upward opening of the hinged door enables weather-protected exchange and adjustment of the notices. These are designed to fit the size of the practical, optionally available acrylic Klemmfix pockets (with heading).

- + Excellent price-performance ratio
- Standard gas struts for door opening
- + Wall and stand mounting possible
- Particularly suitable for notices in Klemmfix pockets
- + Incl. text bar made of white acrylic (unlabelled)







All these features as standard: gas struts, locks with 2 keys each, text bar made of white acrylic glass and 10 adhesive magnets.

| | Outer dimension W/H in mm | 750×500 | 750×1000 | 1000 × 1000 | 750 × 1200 | 1000 × 1200 | 1200 × 1200 | 1600 × 1200 | 2000 × 1200 |
|-------------|--|-------------|-------------|------------------------|--------------|------------------------|-------------|-------------|-------------|
| | DIN format | 3 A4 | 6 A4 | 8 A4 | 9 A4 | 12 A4 | 15 A4 | 21 A4 | 27 A4 |
| | Visible surface W/H in mm | 655×335 | 655 × 835 | 905 × 835 | 655 × 1035 | 905 × 1035 | 1105 × 1035 | 1505 × 1035 | 1905 × 1035 |
| | 70 mm overall depth | E 3 | E 6 | E 8 | E 9 | E 12 | E 15 | E 21 | E 27 |
| | Anodised, aluminium- silver coloured | 103200143 | 103200144 | <mark>103200145</mark> | 103200146 | <mark>103200147</mark> | 103200148 | 103200149 | 103200150 |
| | LED lighting | 13 Watt | 13 Watt | 26 Watt | 13 Watt | 26 Watt | 26 Watt | 26 Watt | 26 Watt |
| | 230 VAC, 4000 Kelvin | 103000702 | 103000702 | 103000703 | 103000702 | 103000703 | 103000703 | 103000703 | 103000703 |
| | Text bar | | | | | | | | |
| INFORMATION | Text included | 103000684 | 103000684 | 103000685 | 103000684 | 103000685 | 103000686 | 103000687 | 103000688 |
| | Stand mounted – 70 × 70 mm square tubing, anodised aluminium for setting in concrete | | | | | | | | |
| | Anodised | 103000672 | 103000672 | 103000672 | 103000672 | 103000672 | 103000672 | 103000764 | 103000764 |
| | Stand mounted – 70 × 70 | 0 mm square | tubing, and | odised alumi | nium for gro | ound anchor | ing | | |
| • | Anodised | 103000674 | 103000674 | 103000674 | 103000674 | 103000674 | 103000674 | 103000674 | 103000674 |
| | | | | | | | | | |





Softline ES display cases



Top quality in a new form: Softline display case for outdoors

The ES is a fully equipped presentation system in DIN A4 sizing with a contemporary softline look. Its torsion-free aluminium design includes a galvanised magnetic sheet steel rear panel optionally colour-coated in RAL 9010 pure white or RAL 7016 anthracite grey. Custom inscriptions can be made on a text

bar made of white acrylic glass. The ES features convenient upward wing opening, vandal-proof locks with patented frost protection, toughened safety glass with weatherproof rubber seal and ten adhering magnets.

- + High-quality aluminium design, anodised
- + Suitable for indoor and outdoor use
- + Convenient sash opening, sealed toughened safety glass
- + Magnetic rear panel with 10 magnets
- + Incl. text bar made of white acrylic (unlabelled)



Modern rounded Softline profile.



Automatic location of the opened sash.



Stand mounted optionally for setting in concrete or for ground anchoring.



Comfortable opening upwards thanks to gas struts.

| | Outer dimension W/H in mm | 750 × 500 | 750 × 1000 | 1000 × 1000 | 1200 × 1200 | 2000 × 1200 | | | |
|-------------|--|------------------|-------------------|-------------|-------------|-------------|--|--|--|
| | DIN format | 3 A4 | 6 A4 | 8 A4 | 15 A4 | 27 A4 | | | |
| | Visible surface W/H in mm | 650 × 335 | 655 × 835 | 905 × 835 | 1105 × 1035 | 1905 × 1035 | | | |
| | 70 mm overall depth | ES 3 | ES 6 | ES 8 | ES 15 | ES 27 | | | |
| | Rear wall in RAL 7016 - anthracite grey | 103200156 | 103200157 | 103200158 | 103200159 | 103200160 | | | |
| | Rear wall in RAL 9010 - pure white | 103200151 | 103200152 | 103200153 | 103200154 | 103200155 | | | |
| | LED lighting | 13 Watt | 13 Watt | 26 Watt | 26 Watt | 39 Watt | | | |
| | 230 VAC, 4000 Kelvin | 103000702 | 103000702 | 103000703 | 103000703 | 103000704 | | | |
| | Text bar | | | | | | | | |
| INFORMATION | Text included | 103000726 | 103000726 | 103000727 | 103000728 | 103000729 | | | |
| | Stand mounted – softline tubing, anodi | ised aluminium 1 | or setting in con | crete | | | | | |
| 11 | Anodised | 103000632 | 103000632 | 103000632 | 103000632 | 103000765 | | | |
| | Stand mounted – softline tubing, anodised aluminium for ground anchoring | | | | | | | | |
| | J. | | | | | | | | |











ES 3 ES 6 ES 8 ES 15 ES 27



All-glass GG display cases



Display case with design appeal

The GG display case captivates with the simple elegance of its large-format, gap-free glass front, framed by a 54 mm to 74 mm wide passepartout in RAL 7016 anthracite grey. Beyond that is a torsion-free aluminium design with a scratch-resis-

tant, magnetic rear panel in a technical aluminium-silver look. The GG features a convenient upward-opening sash, locks, and toughened safety glass with a weatherproof rubber seal.

- + Gapless glass front with anthracite passepartout look
- + Torsion-free aluminium design, anodised aluminium-silver
- + Convenient upward-opening sash with automatic locking device
- + Magnetic rear panel
- + For indoor and outdoor use, wall or stand mounted



Simple elegance through large-format, gap-free glass front and a 54 - 74 mm wide, anthracite grey passepartout.



Stand mounted optionally for setting in concrete or for ground anchoring.




Modern 70×70 mm square tubing, anodised aluminium.

| Outer dimension W/H in mm | 750×600 | 1100 × 1000 | 1100×1200 | 1300 × 1200 | 1000 × 1350 | 1500 × 1200 | 1700 × 1200 | 1900 × 1200 | 2100×1200 | 750 × 1000 | 1000×750 |
|---|-----------|-------------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|--------------|
| DIN format | 3 A4 | 8 A4 | 12 A4 | 15 A4 | 16 A4 | 18 A4 | 21 A4 | 24 A4 | 27 A4 | A1 portrait | A1 landscape |
| Visible surface W/H in mm | 638×488 | 948 × 848 | 948 × 1048 | 1148×1048 | 848 × 1198 | 1348 × 1048 | 1548 × 1048 | 1748 × 1048 | 1948 × 1048 | 598×848 | 848×598 |
| 70 mm over- all depth | GG 3 | GG 8 | GG 12 | GG 15 | GG 16 | GG 18 | GG 21 | GG 24 | GG 27 | GG FPH | GG FPQ |
| Anodised, aluminium-silver coloured | 103200161 | 103200162 | 103200163 | 103200164 | 103200165 | 103200166 | 103200167 | 103200168 | 103200169 | 103200170 | 103200171 |
| LED lighting | 13 Watt | 26 Watt | 26 Watt | 26 Watt | 26 Watt | 39 Watt | 39 Watt | 52 Watt | 52 Watt | 13 Watt | 26 Watt |
| 230 VAC, 4000 Kelvin | 103000702 | 103000703 | 103000703 | 103000703 | 103000703 | 103000704 | 103000704 | 103000705 | 103000705 | 103000702 | 103000703 |
| Stand mounted – 70×70 mm square tubing, anodised aluminium for setting in concrete | | | | | | | | | | | |
| Anodised | 103000672 | 103000672 | 103000672 | 103000672 | 103000672 | 103000672 | 103000764 | 103000764 | 103000764 | 103000672 | 103000672 |
| Stand mounted – 70×70 mm square tubing, anodised aluminium for ground anchoring | | | | | | | | | | | |
| Anodised | 103000674 | 103000674 | 103000674 | 103000674 | 103000674 | 103000674 | 103000674 | 103000674 | 103000674 | 103000674 | 103000674 |







GG 3 - 750 × 600 GG 18 - 1500 × 1200

GG 27 – 2100×1200



Mini MN display cases

Focusing on the essentials: the MN display case

Our MN display case is the economical and secure choice for all standard indoor DIN A4 postings. The case with its extraflat design (only 22 mm deep) is mounted on the wall and does not impede movement in narrow corridors, hallways or staircases.

Its elegant all-glass door with generous visible area provides a clear view of the essentials: Your notices. Replacing the content is no problem.

- + Frameless hinged door of impact-resistant acrylic glass
- + Just 22 mm deep flat design, usable interior depth of 10 mm
- + Aluminium, silver anodised
- + Magnetic rear panel, white similar to RAL 9010 (incl. 5 magnets)
- + Lockable with lock



Just 22 mm deep, usable interior depth of 10 mm.



Modern, simple design with extrathin frame.



Equipped with up to two locks, depending on size.



Hinged door as all-glass front.

| Outer dimension W/H in mm | 260 × 350 | 480 × 350 | 480 × 650 |
|---------------------------|-----------|-----------|-----------|
| DIN format | 1 A4 | 2 A4 | 4 A4 |
| Visible surface W/H in mm | 225 × 320 | 445 × 320 | 445 × 620 |
| 22 mm overall depth | MN 4 | MN 3 | MN 2 |



| 22 mm overall depth | MN 4 | MN 3 | MN 2 | |
|-------------------------------------|-----------|-----------|-----------|--|
| Anodised, aluminium-silver coloured | 103400121 | 103400123 | 103400125 | |







MN 4 MN 3 MN 2



Model MSK 4

Display cases

Softline MSK display cases

Quick presentation of your DIN A4 notices in any space

The particularly economical MSK series offers space for 1 to 4 notices in DIN A4 landscape or portrait format and is suitable for indoor wall mounting. The design of torsion-resistant, silver-coloured anodised aluminium profiles is just 22 mm deep and impresses with its modern Softline profile that protects against injuries.

The hinged door of shatter-proof acrylic glass exposes the entire posting surface and can be conveniently opened and closed by anyone. A lock protects against unauthorised access. You can quickly attach your notices and immediately inform your employees, customers or guests using the magnetic rear panel and four supplied magnets.

- + Modern rounded softline profile
- + Dimensions in DIN A4 sizing
- + Hinged sash with impact-resistant acrylic glass
- + Magnetic rear panel, white (incl. 5 magnets)
- + Shipment in unbreakable, recyclable cardboard box









Rounded, modern Softline profile.

Hinged door as all-glass front.

Equipped with up totwo locks, depending on size.

Dimensions in practical DIN A4 sizing.

| Outer dimension W/H in mm | 284 × 374 | 504 × 374 | 504 × 674 |
|----------------------------|-----------|-----------|-----------|
| DIN format | 1 A4 | 2 A4 | 4 A4 |
| Visible surface W/H in mm | 249 × 344 | 469 × 344 | 469 × 644 |
| 22 mm overall depth | MSK 1 | MSK 2 | MSK 4 |
| Anodised, aluminium-silver | 103400192 | 103400193 | 103400194 |




coloured







MSK 1 MSK 2 MSK 4



HARMONISED

Optimised for posting in practical A4 format for up to nine A4 sheets.

Model BN 1

Display cases


Basic BN display cases

Focussing on the essentials: BN display case

Our BN display case is the economical and secure choice for all standard indoor DIN A4 postings. The case with its extraflat design (only 22 mm deep) is mounted on the wall and does not impede movement in narrow corridors, hallways or staircases.

Its elegant, sturdy door with robust metal frame provides a clear view of the essentials: Your notices. Uncomplicated exchange of content is no problem.

- + Robust hinged door made of acrylic glass with metal frame
- + Just 22 mm deep flat design
- + Suitable for narrow corridors, hallways and staircases
- + Aluminium, silver anodised
- + Magnetic rear panel, white (incl. 5 magnets)







Equipped with up to two locks, depending on the model.



Robust hinged door made of acrylic Space for up to nine A4 pages. glass with metal frame.













BN 4 BN 3 BN 2 BN 1



Softline BSK display cases

Quick presentation of your DIN A4 notices in any space

The popular BSK series offers space for 1 to 9 of your notices in DIN A4 landscape or portrait format and is suitable for indoor wall mounting. The design of torsion-resistant, silver-coloured anodised aluminium profiles is just 22 mm deep and impresses with its modern, rounded Softline profile.

The hinged door with acrylic glass reveals the entire pos-

ting surface and can be conveniently operated by anyone. A lock protects against unauthorised access. You can quickly attach your notices and immediately inform your employees, customers or guests using the magnetic rear panel and four supplied magnets.

- + Modern, injury-proof softline profile
- + Dimensions in DIN A4 sizing
- + Hinged sash with impact-resistant acrylic glass
- + Magnetic rear panel, white (incl. 5 magnets)
- + Shipment in unbreakable, recyclable cardboard box









Modern Softline profiles.

Dimensions in practical DIN A4 sizing.

Magnetic rear panel, white (incl. 5 magnets).

Hinged door in impact-resistant acrylic glass with locks.

| | П | | | | | |
|-------------------------------------|-----------|--------------|--------------|--------------|--------------|--------------|
| Outer dimension W/H in mm | 284 × 374 | 504 × 374 | 714×374 | 504 × 674 | 663 × 910 | 714 × 974 |
| DIN formats | 1 A4 | 2 A4 (2 × 1) | 3 A4 (3 × 1) | 4 A4 (2 × 2) | 8 A4 (2 × 4) | 9 A4 (3 × 3) |
| Visible surface W/H in mm | 234 × 324 | 454 × 324 | 664 × 324 | 454 × 624 | 613 × 860 | 664 × 924 |
| 22 mm overall depth | BSK 1 | BSK 2 | BSK 3 | BSK 4 | BSK 8 | BSK 9 |
| Anodised, aluminium-silver coloured | 103100113 | 103100114 | 103100119 | 103100115 | 103100132 | 103100116 |
| | | | | | | |







BSK 3







BSK 1

BSK 2

BSK 4

BSK 8

BSK 9



Sliding door FN/FR wall panels

The classic sliding door wall panel - practical and inexpensive

The FN/FR is a classic sliding-door wall panel predestined for A3 to A0 DIN formats and whose toughened safety glass provides maximum viewing area. The B1 fire protection certified wall panel's doors slide silently on black plastic guide rails, while a glass plunger lock protects against unauthorised access.

The entire design of torsion-resistant aluminium profiles po-

sesses a maximum overall depth of 30 mm and is excellently suited for indoor installation in narrow spaces. Thanks to the sliding door concept, changing posters, e.g. even in corners or niches, is not a problem. The FN is one of our classics and will be delivered to you within 72 hours.

- + All-glass doors including glass plunger lock and 2 keys
- + Minimal 30 mm depth, usable inner depth 10 mm
- + Fire protection certificate (building material class B1)
- + Scratch-resistant and magnetic rear panel in aluminium-silver incl. 5 magnets
- + Fast delivery within 72 hours









Accident prevention through rounded corners.

Modern pointed corner joints.

For indoor wall or stand mounting.

B1 fire protection certification according to DIN 4102-1.

| Outer dimension W/H in mm | 500 × 377 | 674 × 500 | 920 × 674 | 1268 × 92 |
|---|-----------|-----------|------------------------|-----------|
| DIN format | А3 | A2 | A1 | A0 |
| Visible surface W/H in mm | 479 × 337 | 653 × 460 | 899 × 634 | 1247 × 88 |
| FN - Pointed corners 30 mm overall depth | FN 3 | FN 2 | FN 1 | FN 0 |
| Anodised, aluminium-silver coloured | 103200025 | 103200031 | <mark>103200037</mark> | 10320004 |
| RAL powder coated | 103200029 | 103200035 | 103200041 | 10320004 |
| FR - Round corners 30 mm overall depth | FR 3 | FR 2 | FR 1 | FR 0 |
| Anodised, aluminium-silver | 103200049 | 103200055 | 103200061 | 10320006 |
| coloured | | | | |









FN 3 FN 2 FN 1 FN 0



Softline SSK display cases

Essential and useful information presented safely and attractively

The SSK series offers space for 8 to 18 of your notices in DIN A4 portrait format and is suitable for indoor wall mounting. The design in silver-coloured anodised aluminium profiles is just 30 mm deep and reduces the risk of injury with its modern Softline profile. The sliding doors with toughened

safety glass are conveniently guided on black plastic runners. A glass plunger lock protects against unauthorised access. You will have your notices up in no time using the magnetic rear panel and four supplied magnets, and your employees, customers or guests will be engagingly informed.

- + Modern, rounded softline profile
- + Dimensions in DIN A4 sizing
- + Lockable sliding doors in toughened safety glass
- + Magnetic rear panel, white (incl. 5 magnets)
- + Shipment in unbreakable, recyclable cardboard box



Dimensions in practical DIN A sizing. Space for up to 18 A4 sheets.



Lockable sliding doors in toughened safety glass.



Modern, rounded softline profile.

| Outer dimension W/H in mm | 920 × 674 | 955 × 950 | 1350 × 1050 |
|-------------------------------------|------------------------|------------------------|-------------|
| DIN format | 8 A4 | 12 A4 | 18 A4 |
| Visible surface W/H in mm | 888 × 630 | 923 × 906 | 1319×1006 |
| Softline display case 30 mm depth | SSK 8 | SSK 12 | SSK 18 |
| Anodised, aluminium-silver coloured | <mark>103500712</mark> | <mark>103500713</mark> | 103500714 |







SSK 8 SSK 12 SSK 18



Sliding door SN/SR display cases

Perfect presentation: The premium sliding door display case

Our premium model SN/SR is a first-class combination of quality, safety and design. Torsion-resistant aluminium profiles and the toughened safety glass doors, which run on ball bearings on the guide rail for particularly convenient opening, make it the professional choice for all requirements. Particularly suitable for confined spaces - since no doors are swung open.

The mechanical pressure cylinder lock provides more security and a high level of locking comfort by clamping directly onto the metal rail. The optionally available white text bar gives the display case a meaningful heading and even from a distance provides the viewer with initial information about its contents.

- + Convenient opening via ball bearing doors
- + Lockable by mechanical pressure cylinder lock
- + 4 mm toughened safety glass
- + Tested flame resistance (B1) for all aluminium-silver coloured models with toughened safety glass
- + White text strip for long-distance effect optionally available



Convenient opening thanks to sliding glass doors with roller bearings.



Timeless pointed aluminium profiles.



For accident prevention (impact protection) with round corner joints. engages directly on the metal rail.



Mechanical pressure cylinder lock

| | Outer dimension W/H in mm | 790 × 790 | 970 × 820 | 1350 × 1060 | 1600 × 1060 | 2000 × 1060 |
|-------------|---|------------------------|------------------------|------------------------|------------------------|------------------------|
| | DIN format | 6 A4 (3 × 2) | 8 A4 (4 × 2) | 18 A4 (6 × 3) | 21 A4 (7 × 3) | 27 A4 (9 × 3) |
| | Visible surface W/H in mm | 740 × 725 | 920 × 755 | 1300 × 995 | 1550 × 995 | 1950 × 995 |
| | SN - Pointed corners 60 mm overall depth | SN 7 | SN 8 | SN 9 | SN 11 | SN 12 |
| | Anodised, aluminium-silver coloured | 103500391 | 103500397 | 103500403 | 103500409 | 103500415 |
| | RAL powder coated | 103500395 | 103500401 | 103500407 | 103500413 | 103500419 |
| | SR - Round corners 60 mm overall depth | SR 7 | SR 8 | SR 9 | SR 11 | SR 12 |
| | Anodised, aluminium-silver coloured | 103500421 | 103500427 | 103500433 | 103500439 | 103500445 |
| | RAL powder coated | 103500425 | 103500431 | 103500437 | 103500443 | 103500449 |
| | Text bar | | | | | |
| INFORMATION | Blank for labelling text included | 314900041 103000234 | 314900039 103000235 | 314900037 103000236 | 314900035 103000237 | 314900034 103000238 |











SN 7 SN 9 SN 11 SN 12 SN8



Hinged door GN/GR display cases


Maximum convenience: Our premium GN/GR display case

Our premium GN/GR model is a first-class combination of quality, safety and design. Torsion-resistant aluminium profiles and toughened safety glass doors make it the professional choice for all requirements. All-glass hinged doors in toughened safety glass without an obstructing frame provide maximum viewing area. They feature an opening angle of 180

degrees and thus enable problem-free billposting exchange. The lock provides enhanced security and a high level of locking convenience. The white text bar gives the display case a meaningful heading and, even from a distance, provides the viewer with initial information about the showcase contents.

- + All-glass hinged doors in toughened safety glass
- + 180 degree opening angle of the doors
- + Tested flame resistance (B1) for all aluminium-silver coloured models
- + Overall depth 60 mm, usable inner depth 35 mm
- + White text strip for long-distance effect optionally available







Hinged doors with an opening angle of 180° for convenient access to the entire display area.



Optionally also available with round corner joints in die-cast zinc.

| Outer dimension W/H in mm | 560 × 480 | 790 × 790 | 970 × 820 | 1350 × 1060 | 1600 × 1060 |
|---|------------------------|------------------------|------------------------|------------------------|------------------------|
| DIN format | 2 A4 (2 × 1) | 6 A4 (3 × 2) | 8 A4 (4 × 2) | 18 A4 (6 × 3) | 21 A4 (7 × 3 |
| Visible surface W/H in mm | 510 × 430 | 740 × 740 | 920 × 770 | 1300 × 1010 | 1550 × 1010 |
| GN - Pointed corners 60 mm overall depth | GN 6 | GN 7 | GN 8 | GN 9 | GN 11 |
| Anodised, aluminium-silver coloured | 103200097 | 103200100 | 103200103 | 103200106 | 103200109 |
| RAL powder coated | 103200099 | 103200102 | 103200105 | 103200108 | 103200111 |
| GR - Round corners | GR 6 | GR 7 | GR 8 | GR 9 | GR 11 |
| 60 mm overall depth | | | | | |
| Anodised, aluminium-silver coloured | 103200112 | 103200115 | 103200118 | 103200121 | 103200124 |
| | 103200112 103200114 | 103200115 103200117 | 103200118 103200120 | 103200121 103200123 | |
| Anodised, aluminium-silver coloured | | | | | 103200124 103200126 |











GN 6 GN 7 GN 8 GN 9 GN 11

Accessories


Stand for setting in concrete

Standard version:

- + Supplied in a set of 2
- + Length 2400 mm (TN with advertising panel: 2640 mm)
- + Recommended final height of the fully assembled display case from paving upper surface approx. 2000 mm
- + Including cover caps, fixing screws for theft-proof mounting and spacers
- + Shipping in recyclable packaging



| Form | Square tube | Rectangular tube | Square tube | |
|--|-------------|------------------|---|--|
| Tube dimensions in mm | 40 × 40 | 80 × 40 | 70×70 | |
| For display case | PN, PR | TN, TR, TC | GG, E | |
| For setting in concrete Length 2400 mm | Aluminium | Aluminium | Aluminium | |
| Anodised | 103000361 | 103000355 | 103000672 (E 3 - E 15) 103000764 (E 21 - E 27) | |
| RAL powder coated | 103000364 | 103000358 | | |
| For setting in concrete Length 2400 mm | | Steel | | |
| RAL 9006 | | 103000493 | | |
| RAL powder coated | | 103000493 | | |
| For setting in concrete Length 2640 mm | | Aluminium | | |
| Anodised | | 103000745 | | |
| RAL powder coated | | 103000746 | | |
| For setting in concrete Length 2640 mm | | Steel | | |
| RAL 9006 | | 103000747 | | |







Stand for setting in concrete


Statics

For static reasons, we recommend the respective steel version for display cases that are more than 1600 mm wide.

Advertising panel

Stand for TN display cases with advertising panel with a length of 2640 mm.

| Softline tube | Round tube |
|---|------------|
| 76 × 62 | Ø 80 |
| ES | TN, TR, TC |
| Aluminium | Aluminium |
| 103000632 (ES 3 - ES 15) 103000765 (ES 27) | 103000343 |
| | 103000346 |
| | |
| | |
| | |
| | Aluminium |
| | 103000748 |
| | 103000749 |
| | |



Accessories

Stand for anchoring

Standard version:

- + Supplied in a set of 2
- + Suitable for anchoring under paved surfaces
- + Length 2150 mm (TN with advertising panel: 2390 mm)
- + Base plate $250 \times 120 \times 10$ mm (TN large formats: $200 \times 200 \times 20$ mm)
- + Including cover caps, fixing screws and spacers.
 The mounting material for fixing in the ground is not included.
- + Foundation anchor cages on request
- + Shipping in recyclable packaging



| Form | Square tube | Rectangular tube | Square tube | |
|------------------------------|-------------|------------------|-------------|--|
| Tube dimensions in mm | 40 × 40 | 80 × 40 | 70×70 | |
| For display case | PN, PR | TN, TR, TC | GG, E | |
| For anchoring Length 2150 mm | Aluminium | Aluminium | Aluminium | |
| Anodised | 103000367 | 103000377 | 103000674 | |
| RAL powder coated | 103000411 | 103000380 | | |
| For anchoring Length 2150 mm | | Steel | | |
| RAL 9006 | | 103000495 | | |
| RAL powder coated | | 103000495 | | |
| For anchoring Length 2390 mm | | Aluminium | | |
| Anodised | | 103000710 | | |
| RAL powder coated | | 103000711 | | |
| For anchoring Length 2390 mm | | Steel | | |
| RAL powder coated | | 103000719 | | |







Stand for anchoring

Statics

For static reasons, we recommend the respective steel version for display cases that are more than 1600 mm wide.

Advertising panel

Stand for TN display cases with advertising panel with a length of 2390 mm.

| Softline tube | Round tube |
|---------------|---|
| 76×62 | Ø 80 |
| ES | TN, TR, TC |
| Aluminium | Aluminium |
| 103000633 | 103000389 |
| | 103000392 |
| | |
| | Steel |
| | Steel 103000750 |
| | |
| | 103000750 |
| | 103000750 103000750 |
| | 103000750 103000750 Aluminium |
| | 103000750 103000750 Aluminium 103000715 |



Accessories

Stand for free-standing installation

Standard version:

- + Supplied in a set of 2
- + Only suitable for display cases with sliding doors
- + Length 1960 mm (with rollers 2010 mm)
- + Length of the feet 650 mm
- + Including cover caps, fixing screws for theft-proof mounting and spacers
- + Shipping in recyclable packaging



| Form | Square tube | Square tube with castors | | |
|-----------------------|------------------|--------------------------|--|--|
| Tube dimensions in mm | 40 × 40 | 40 × 40 | | |
| For display case | FN, FR, Orgastar | FN, FR, Orgastar | | |
| For anchoring | Aluminium | Aluminium | | |
| Anodised | 103000368 | 103000374 | | |
| RAL powder coated | 103000370 | 103000067 | | |
| | | | | |




Stand for row installation



With correct stand mounting, several display cases can be combined to form a row arrangement. This allows large installations to be stylishly integrated into their surroundings.

Talk to us!





Vitrines

Our vitrines ensure professional and secure display of your products and exhibits. Valuable objects can be easily arranged on the safety glass shelves (infinitely height-adjustable) and the theft-protected all-glass doors can be locked with the pressure cylinder lock.

Our vitrines are available in different dimensions, as a floor-standing or wall-mounted system, with or without a base cabinet.





Vitrines

Factory

Your products and exhibits optimally presented

The Factory vitrine series presents products and exhibits in the best light. Factory vitrines feature a very stable aluminium structure in an elegantly rounded softline design with anodised aluminium-silver coloured surface. Toughened safety glass doors offer protection and optimum adjustment comfort. Your products or exhibits find ample place on the infinitely height-adjustable shelves made of toughened safety glass

with ten kilogram load capacity. Mechanical plunger cylinder locks provide more security and a high level of locking comfort. Factory vitrines are available in different dimensions, as a floor-standing or wall-mounted system, with or without a base cabinet. All models are delivered ready for deployment and with modern LED lighting.

- + Anodised aluminium-silver coloured
- + Toughened safety glass
- + Toughened safety glass shelves, infinitely height adjustable
- + Adjustable feet for optimal stand
- + LED interior lighting as standard



Low-voltage LED interior lighting as standard in all models.



Mechanical plunger cylinder locks with two keys each.



Secure and optimal stand thanks to adjustable feet.



Infinitely height-adjustable toughened safety glass shelves.











| Outer dimension W/H/D in mm | 500 × 2000 × 500 | 1000 × 2000 × 500 | 1000 × 2000 × 500 | 1500 × 2000 × 500 | 1000 × 2000 × 500 | 1000 × 1000 × 300 |
|---|------------------|-------------------|-------------------|-------------------|-------------------|-------------------|
| Glass shelves Number / thickness in mm | 4/6 | 4/6 | 2/6 | 2/6 | 2/6 | 2/6 |
| LED lighting | 1 Spot | 2 spots |
| Type of doors | Hinged doors | Sliding doors |
| | FACTORY 100 | FACTORY 200 | FACTORY 300 | FACTORY 400 | FACTORY 500 | FACTORY 600 |
| Anodised, aluminium- silver coloured | 104100003 | 104100005 | 104100007 | 104100009 | 104100011 | 104100001 |

















Factory 100 Factory 2

Factory 300

Factory 500

Factory 600



R&R Solutions AB Kristinelundsgatan 4 41137 Göteborg

Telefon: +46 31 360 8283 info@rr-solutions.se www.rr-solutions.se